

| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|----------------------------|------------------------------|------------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Brown-headed Parrot | Poicephalus cryptoxanthus | African & New World Parrots | 8,033 | 8,282 | 97% | |
| Cape Parrot | Poicephalus robustus | African & New World Parrots | 660 | 1,898 | 35% | |
| Meyer's Parrot | Poicephalus meyeri | African & New World Parrots | 61 | 1,102 | 6% | |
| African Broadbill | Smithornis capensis | African and Green Broadbills | 3 | 289 | 1% | |
| Acacia Pied Barbet | Tricholaema leucomelas | African Barbets | 2,066 | 46,698 | 4% | |
| Black-collared Barbet | Lybius torquatus | African Barbets | 9,911 | 86,359 | 11% | |
| Crested Barbet | Trachyphonus vaillantii | African Barbets | 12,102 | 85,324 | 14% | |
| Yellow-fronted Tinkerbird | Pogoniulus chrysoconus | African Barbets | 2,507 | 14,427 | 17% | |
| Yellow-rumped Tinkerbird | Pogoniulus bilineatus | African Barbets | 939 | 11,486 | 8% | |
| African Darter | Anhinga rufa | Anhingas, Darters | 2,017 | 45,933 | 4% | |
| African Grass Owl | Tyto capensis | Barn Owls | 1 | 432 | 0% | |
| Western Barn Owl | Tyto alba | Barn Owls | 1,181 | 10,198 | 12% | |
| Blue-cheeked Bee-eater | Merops persicus | Bee-eaters | 282 | 3,246 | 9% | |
| European Bee-eater | Merops apiaster | Bee-eaters | 7,963 | 41,709 | 19% | |
| Little Bee-eater | Merops pusillus | Bee-eaters | 4,767 | 14,139 | 34% | |
| Northern Carmine Bee-eater | Merops nubicus | Bee-eaters | 2,670 | 3,314 | 81% | |
| Swallow-tailed Bee-eater | Merops hirundineus | Bee-eaters | 21 | 4,391 | 0% | |
| White-fronted Bee-eater | Merops bullockoides | Bee-eaters | 6,926 | 23,398 | 30% | |
| Dark-capped bulbul | Pycnonotus tricolor | Bulbuls | 16,330 | 128,583 | 13% | |
| Sombre Greenbul | Andropadus importunus | Bulbuls | 6,674 | 64,133 | 10% | |
| Terrestrial Brownbul | Phyllastrephus terrestris | Bulbuls | 2,687 | 17,997 | 15% | |
| Yellow-bellied Greenbul | Chlorocichla flaviventris | Bulbuls | 2,151 | 11,823 | 18% | |
| Yellow-streaked Greenbul | Phyllastrephus flavostriatus | Bulbuls | 5 | 749 | 1% | |
| Cape Bunting | Emberiza capensis | Buntings | 1 | 24,611 | 0% | |
| Cinnamon-breasted Bunting | Emberiza tahapisi | Buntings | 4,270 | 22,316 | 19% | |
| Golden-breasted Bunting | Emberiza flaviventris | Buntings | 7,330 | 27,071 | 27% | |
| Lark-like Bunting | Emberiza impetuani | Buntings | 171 | 11,172 | 2% | |
| Black-backed Puffback | Dryoscopus cubla | Bushshrikes | 15,649 | 55,829 | 28% | |
| Black-crowned Tchagra | Tchagra senegalus | Bushshrikes | 9,117 | 28,205 | 32% | |
| Black-fronted Bushshrike | Chlorophoneus nigrifrons | Bushshrikes | 4 | 227 | 2% | |
| Brown-crowned Tchagra | Tchagra australis | Bushshrikes | 7,466 | 27,698 | 27% | |
| Brubru | Nilaus afer | Bushshrikes | 7,989 | 24,179 | 33% | |
| Crimson-breasted Shrike | Laniarius atrococcineus | Bushshrikes | 21 | 18,703 | 0% | |
| Ethiopian Boubou | Laniarius aethiopicus | Bushshrikes | 1,504 | 2,112 | 71% | |
| Gorgeous Bushshrike | Telophorus viridis | Bushshrikes | 1,560 | 8,439 | 18% | |
| Grey-headed Bushshrike | Malaconotus blanchoti | Bushshrikes | 8,051 | 20,614 | 39% | |
| Olive Bushshrike | Chlorophoneus olivaceus | Bushshrikes | 363 | 12,454 | 3% | |
| Orange-breasted Bushshrike | Chlorophoneus sulfureopectus | Bushshrikes | 10,444 | 27,671 | 38% | |
| Southern Boubou | Laniarius ferrugineus | Bushshrikes | 4,766 | 87,725 | 5% | |
| Southern Tchagra | Tchagra tchagra | Bushshrikes | 2 | 8,825 | 0% | |
| Black-bellied Bustard | Lissotis melanogaster | Bustards | 822 | 1,723 | 48% | |
| Kori Bustard | Ardeotis kori | Bustards | 1,385 | 4,599 | 30% | |
| Red-crested Korhaan | Lophotis ruficrista | Bustards | 6,943 | 14,174 | 49% | |
| Common Buttonquail | Turnix sylvaticus | Buttonquail | 957 | 2,662 | 36% | |
| African Hobby | Falco cuvierii | Caracaras, Falcons | 1 | 1 | 100% | |
| Amur Falcon | Falco amurensis | Caracaras, Falcons | 1,678 | 18,571 | 9% | |
| Dickinson's Kestrel | Falco dickinsoni | Caracaras, Falcons | 128 | 129 | 99% | |
| Eurasian Hobby | Falco subbuteo | Caracaras, Falcons | 468 | 1,086 | 43% | |
| Lanner Falcon | Falco biarmicus | Caracaras, Falcons | 367 | 10,192 | 4% | |
| Lesser Kestrel | Falco naumanni | Caracaras, Falcons | 91 | 5,991 | 2% | |
| Peregrine Falcon | Falco peregrinus | Caracaras, Falcons | 250 | 4,709 | 5% | |
| Red-footed Falcon | Falco vespertinus | Caracaras, Falcons | 7 | 489 | 1% | |
| Rock kestrel | Falco rupicolus | Caracaras, Falcons | 110 | 26,269 | 0% | |
| Sooty Falcon | Falco concolor | Caracaras, Falcons | 29 | 144 | 20% | |
| African Dusky Flycatcher | Muscicapa adusta | Chats, Old World Flycatchers | 1,187 | 22,188 | 5% | |
| African Stonechat | Saxicola torquatus | Chats, Old World Flycatchers | 1,181 | 89,915 | 1% | |
| Arnot's chat | Myrmecocichla arnotti | Chats, Old World Flycatchers | 166 | 171 | 97% | |
| Ashy flycatcher | Muscicapa caerulescens | Chats, Old World Flycatchers | 3,151 | 7,389 | 43% | |
| Bearded Scrub Robin | Cercotrichas quadrivirgata | Chats, Old World Flycatchers | 1,581 | 2,775 | 57% | |
| Brown scrub robin | Cercotrichas signata | Chats, Old World Flycatchers | 10 | 3,019 | 0% | |
| Cape robin-chat | Cossypha caffra | Chats, Old World Flycatchers | 758 | 116,421 | 1% | |
| Cape Rock Thrush | Monticola rupestris | Chats, Old World Flycatchers | 7 | 10,188 | 0% | |
| Capped Wheatear | Oenanthe pileata | Chats, Old World Flycatchers | 32 | 20,331 | 0% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|---------------------------|------------------------------|------------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Chorister Robin-Chat | Cossypha dichroa | Chats, Old World Flycatchers | 32 | 5,921 | 1% | |
| Collared Palm Thrush | Cichladusa arquata | Chats, Old World Flycatchers | 10 | 13 | 77% | |
| Familiar Chat | Oenanthe familiaris | Chats, Old World Flycatchers | 510 | 46,581 | 1% | |
| Fiscal flycatcher | Melaenornis silens | Chats, Old World Flycatchers | 187 | 70,415 | 0% | |
| Grey tit-flycatcher | Myioparus plumbeus | Chats, Old World Flycatchers | 3,044 | 6,287 | 48% | |
| Marico Flycatcher | Melaenornis mariquensis | Chats, Old World Flycatchers | 203 | 13,421 | 2% | |
| Mocking Cliff Chat | Thamnolaea cinnamomeiventris | Chats, Old World Flycatchers | 1,129 | 8,611 | 13% | |
| Northern Wheatear | Oenanthe oenanthe | Chats, Old World Flycatchers | 12 | 12 | 100% | |
| Pale flycatcher | Melaenornis pallidus | Chats, Old World Flycatchers | 860 | 2,975 | 29% | |
| Red-capped Robin-Chat | Cossypha natalensis | Chats, Old World Flycatchers | 1,452 | 15,114 | 10% | |
| Southern Black Flycatcher | Melaenornis pammelaina | Chats, Old World Flycatchers | 6,836 | 31,183 | 22% | |
| Thrush Nightingale | Luscinia luscinia | Chats, Old World Flycatchers | 24 | 164 | 15% | |
| White-browed Robin-Chat | Cossypha heuglini | Chats, Old World Flycatchers | 5,765 | 9,695 | 59% | |
| White-browed scrub robin | Cercotrichas leucophrys | Chats, Old World Flycatchers | 12,968 | 44,862 | 29% | |
| White-starred Robin | Pogonocichla stellata | Chats, Old World Flycatchers | 7 | 1,675 | 0% | |
| White-throated robin-chat | Cossypha humeralis | Chats, Old World Flycatchers | 3,502 | 12,911 | 27% | |
| Barred Wren-Warbler | Calamonastes fasciolatus | Cisticolas & Allies | 4 | 3,238 | 0% | |
| Bar-throated Apalis | Apalis thoracica | Cisticolas & Allies | 1,602 | 55,204 | 3% | |
| Black-chested Prinia | Prinia flavicans | Cisticolas & Allies | 6 | 43,008 | 0% | |
| Burnt-necked Eremomela | Eremomela usticollis | Cisticolas & Allies | 1,709 | 7,141 | 24% | |
| Croaking Cisticola | Cisticola natalensis | Cisticolas & Allies | 907 | 6,294 | 14% | |
| Desert Cisticola | Cisticola aridulus | Cisticolas & Allies | 257 | 13,224 | 2% | |
| Drakensberg Prinia | Prinia hypoxantha | Cisticolas & Allies | 22 | 8,231 | 0% | |
| Green-backed Camaroptera | Camaroptera brachyura | Cisticolas & Allies | 7,422 | 34,253 | 22% | |
| Green-capped Eremomela | Eremomela scotops | Cisticolas & Allies | 592 | 1,152 | 51% | |
| Grey-backed camaroptera | Camaroptera brevicaudata | Cisticolas & Allies | 2,066 | 9,289 | 22% | |
| Lazy Cisticola | Cisticola aberrans | Cisticolas & Allies | 884 | 11,705 | 8% | |
| Levaillant's Cisticola | Cisticola tinniensi | Cisticolas & Allies | 367 | 68,793 | 1% | |
| Neddicky | Cisticola fulvicapilla | Cisticolas & Allies | 2,794 | 78,448 | 4% | |
| Rattling Cisticola | Cisticola chiniana | Cisticolas & Allies | 15,558 | 45,178 | 34% | |
| Red-faced Cisticola | Cisticola erythropis | Cisticolas & Allies | 5,439 | 10,278 | 53% | |
| Rudd's Apalis | Apalis ruddi | Cisticolas & Allies | 16 | 2,289 | 1% | |
| Rufous-winged Cisticola | Cisticola galactotes | Cisticolas & Allies | 127 | 1,674 | 8% | |
| Stierling's Wren-Warbler | Calamonastes stierlingi | Cisticolas & Allies | 2,165 | 2,739 | 79% | |
| Tawny-flanked Prinia | Prinia subflava | Cisticolas & Allies | 14,121 | 80,260 | 18% | |
| Wailing Cisticola | Cisticola lais | Cisticolas & Allies | 2 | 7,834 | 0% | |
| Wing-snapping Cisticola | Cisticola ayresii | Cisticolas & Allies | 1 | 9,158 | 0% | |
| Yellow-bellied Eremomela | Eremomela icteropygialis | Cisticolas & Allies | 636 | 8,730 | 7% | |
| Yellow-breasted Apalis | Apalis flavida | Cisticolas & Allies | 7,933 | 19,107 | 42% | |
| Zitting Cisticola | Cisticola juncidis | Cisticolas & Allies | 2,126 | 48,780 | 4% | |
| Reed Cormorant | Microcarbo africanus | Cormorants, Shags | 4,041 | 94,190 | 4% | |
| White-breasted cormorant | Phalacrocorax lucidus | Cormorants, Shags | 1,861 | 58,609 | 3% | |
| Black-winged Pratincole | Glareola nordmanni | Couriers, Pratincoles | 3 | 1,733 | 0% | |
| Bronze-winged Courser | Rhinoptilus chalcopterus | Couriers, Pratincoles | 854 | 1,244 | 69% | |
| Collared Pratincole | Glareola pratincola | Couriers, Pratincoles | 465 | 1,122 | 41% | |
| Double-banded courser | Rhinoptilus africanus | Couriers, Pratincoles | 1 | 2,670 | 0% | |
| Temminck's Courser | Cursorius temminckii | Couriers, Pratincoles | 674 | 2,187 | 31% | |
| Three-banded Courser | Rhinoptilus cinctus | Couriers, Pratincoles | 263 | 320 | 82% | |
| Cape Grassbird | Sphenoeacus afer | Crombees, African Warblers | 471 | 26,685 | 2% | |
| Long-billed Crombec | Sylvietta rufescens | Crombees, African Warblers | 13,461 | 46,309 | 29% | |
| Cape Crow | Corvus capensis | Crows, Jays | 3 | 36,609 | 0% | |
| Pied Crow | Corvus albus | Crows, Jays | 2,080 | 109,909 | 2% | |
| White-necked Raven | Corvus albicollis | Crows, Jays | 7 | 31,205 | 0% | |
| African Cuckoo | Cuculus gularis | Cuckoos | 1,171 | 2,327 | 50% | |
| African Emerald Cuckoo | Chrysococcyx cupreus | Cuckoos | 31 | 3,270 | 1% | |
| Black Coucal | Centropus grillii | Cuckoos | 22 | 64 | 34% | |
| Black Cuckoo | Cuculus clamosus | Cuckoos | 1,167 | 14,251 | 8% | |
| Common Cuckoo | Cuculus canorus | Cuckoos | 197 | 365 | 54% | |
| Diederik Cuckoo | Chrysococcyx caprius | Cuckoos | 5,358 | 51,779 | 10% | |
| Great Spotted Cuckoo | Clamator glandarius | Cuckoos | 603 | 1,733 | 35% | |
| Jacobin Cuckoo | Clamator jacobinus | Cuckoos | 3,524 | 9,327 | 38% | |
| Klaas's Cuckoo | Chrysococcyx klaas | Cuckoos | 3,428 | 20,339 | 17% | |
| Levaillant's Cuckoo | Clamator levaillantii | Cuckoos | 2,471 | 4,898 | 50% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|-----------------------------|-------------------------------|-----------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Madagascan Cuckoo | Cuculus rochii | Cuckoos | 5 | 7 | 71% | |
| Red-chested Cuckoo | Cuculus solitarius | Cuckoos | 3,248 | 31,329 | 10% | |
| Senegal Coucal | Centropus senegalensis | Cuckoos | 129 | 162 | 80% | |
| Thick-billed Cuckoo | Pachycoccyx audeberti | Cuckoos | 123 | 183 | 67% | |
| White-browed Coucal | Centropus superciliosus | Cuckoos | 8,531 | 44,441 | 19% | |
| Black Cuckooshrike | Campephaga flava | Cuckooshrikes | 2,623 | 11,648 | 23% | |
| Grey cuckooshrike | Cebblepyris caesus | Cuckooshrikes | 27 | 2,943 | 1% | |
| White-breasted Cuckooshrike | Cebblepyris pectoralis | Cuckooshrikes | 56 | 89 | 63% | |
| Common Square-tailed Drongo | Dicrurus ludwigii | Drongos | 18 | 5,860 | 0% | |
| Fork-tailed Drongo | Dicrurus adsimilis | Drongos | 21,319 | 116,964 | 18% | |
| African Black Duck | Anas sparsa | Ducks, Geese, Swans | 730 | 25,256 | 3% | |
| African Pygmy Goose | Nettapus auritus | Ducks, Geese, Swans | 36 | 673 | 5% | |
| Cape Shoveler | Spatula smithii | Ducks, Geese, Swans | 1 | 27,102 | 0% | |
| Cape Teal | Anas capensis | Ducks, Geese, Swans | 35 | 17,910 | 0% | |
| Egyptian Goose | Alopochen aegyptiaca | Ducks, Geese, Swans | 14,574 | 155,730 | 9% | |
| Fulvous Whistling Duck | Dendrocygna bicolor | Ducks, Geese, Swans | 29 | 3,010 | 1% | |
| Hottentot Teal | Spatula hottentota | Ducks, Geese, Swans | 31 | 7,645 | 0% | |
| Knob-billed Duck | Sarkidiornis melanotos | Ducks, Geese, Swans | 1,803 | 4,598 | 39% | |
| Mallard | Anas platyrhynchos | Ducks, Geese, Swans | 42 | 8,777 | 0% | |
| Red-billed Teal | Anas erythrorhyncha | Ducks, Geese, Swans | 226 | 37,551 | 1% | |
| Southern Pochard | Netta erythrophthalma | Ducks, Geese, Swans | 33 | 11,508 | 0% | |
| Spur-winged Goose | Plectropterus gambensis | Ducks, Geese, Swans | 1,243 | 52,746 | 2% | |
| White-backed Duck | Thalassornis leuconotus | Ducks, Geese, Swans | 27 | 3,663 | 1% | |
| White-faced Whistling Duck | Dendrocygna viduata | Ducks, Geese, Swans | 3,743 | 33,852 | 11% | |
| Yellow-billed Duck | Anas undulata | Ducks, Geese, Swans | 65 | 89,456 | 0% | |
| Fairy Flycatcher | Stenostira scita | Fairy Flycatchers | 2 | 9,059 | 0% | |
| African Golden Oriole | Oriolus auratus | Figbirds, Orioles, Turnagra | 67 | 81 | 83% | |
| Black-headed Oriole | Oriolus larvatus | Figbirds, Orioles, Turnagra | 12,533 | 59,966 | 21% | |
| Eurasian Golden Oriole | Oriolus oriolus | Figbirds, Orioles, Turnagra | 882 | 1,352 | 65% | |
| Black-throated Canary | Crithagra atrogularis | Finches, Euphonias | 4 | 43,494 | 0% | |
| Brimstone Canary | Crithagra sulphurata | Finches, Euphonias | 597 | 19,174 | 3% | |
| Cape Canary | Serinus canicollis | Finches, Euphonias | 122 | 38,067 | 0% | |
| Forest Canary | Crithagra scotops | Finches, Euphonias | 13 | 6,843 | 0% | |
| Lemon-breasted Canary | Crithagra citrinipectus | Finches, Euphonias | 301 | 540 | 56% | |
| Streaky-headed Seedeater | Crithagra gularis | Finches, Euphonias | 1,315 | 39,256 | 3% | |
| African Finfoot | Podica senegalensis | Finfoots | 129 | 851 | 15% | |
| American Flamingo | Phoenicopterus ruber | Flamingos | 56 | 16,087 | 0% | |
| Lesser Flamingo | Phoeniconaias minor | Flamingos | 26 | 5,791 | 0% | |
| Buff-spotted Flufftail | Sarothrura elegans | Flufftails | 50 | 1,320 | 4% | |
| Red-chested Flufftail | Sarothrura rufa | Flufftails | 53 | 3,099 | 2% | |
| Barratt's Warbler | Bradypterus barratti | Grassbirds & Allies | 3 | 2,004 | 0% | |
| Fan-tailed Grassbird | Catriscus brevirostris | Grassbirds & Allies | 47 | 831 | 6% | |
| Little Rush Warbler | Bradypterus baboecala | Grassbirds & Allies | 860 | 33,503 | 3% | |
| River Warbler | Locustella fluviatilis | Grassbirds & Allies | 9 | 143 | 6% | |
| Little Grebe | Tachybaptus ruficollis | Grebes | 886 | 65,337 | 1% | |
| Southern Ground Hornbill | Bucorvus leadbeateri | Ground Hornbills | 3,795 | 4,300 | 88% | |
| Crested Guineafowl | Guttera pucherani | Guinea fowl | 605 | 2,998 | 20% | |
| Helmeted Guineafowl | Numida meleagris | Guinea fowl | 10,721 | 128,234 | 8% | |
| African Skimmer | Rynchops flavirostris | Gulls, Terns, Skimmers | 33 | 70 | 47% | |
| Common Tern | Sterna hirundo | Gulls, Terns, Skimmers | 1 | 6,843 | 0% | |
| Grey-headed gull | Chroicocephalus cirrocephalus | Gulls, Terns, Skimmers | 86 | 24,231 | 0% | |
| Sooty tern | Onychoprion fuscatus | Gulls, Terns, Skimmers | 2 | 22 | 9% | |
| Whiskered Tern | Chlidonias hybrida | Gulls, Terns, Skimmers | 137 | 11,821 | 1% | |
| White-winged Tern | Chlidonias leucopterus | Gulls, Terns, Skimmers | 50 | 6,051 | 1% | |
| Hamerkop | Scopus umbretta | Hamerkop | 6,958 | 33,124 | 21% | |
| Black Heron | Egretta ardesiaca | Hérons, Bitterns | 107 | 5,058 | 2% | |
| Black-crowned Night Heron | Nycticorax nycticorax | Hérons, Bitterns | 388 | 9,703 | 4% | |
| Black-headed Heron | Ardea melanocephala | Hérons, Bitterns | 943 | 84,110 | 1% | |
| Dwarf Bittern | Ixobrychus sturmii | Hérons, Bitterns | 238 | 532 | 45% | |
| Goliath Heron | Ardea goliath | Hérons, Bitterns | 3,509 | 16,827 | 21% | |
| Great Egret | Ardea alba | Hérons, Bitterns | 3,894 | 14,635 | 27% | |
| Grey Heron | Ardea cinerea | Hérons, Bitterns | 7,949 | 71,162 | 11% | |
| Intermediate egret | Ardea intermedia | Hérons, Bitterns | 594 | 8,896 | 7% | |

| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|---------------------------------|----------------------------------|----------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Little Bittern | <i>Ixobrychus minutus</i> | Hérons, Bitterns | 137 | 4,240 | 3% | |
| Little Egret | <i>Egretta garzetta</i> | Hérons, Bitterns | 3,199 | 40,095 | 8% | |
| Purple Heron | <i>Ardea purpurea</i> | Hérons, Bitterns | 1,160 | 17,969 | 6% | |
| Rufous-bellied Heron | <i>Ardeola rufiventris</i> | Hérons, Bitterns | 1 | 47 | 2% | |
| Slaty Egret | <i>Egretta vinaceigula</i> | Hérons, Bitterns | 1 | 82 | 1% | |
| Squacco Heron | <i>Ardeola ralloides</i> | Hérons, Bitterns | 970 | 11,017 | 9% | |
| Striated Heron | <i>Butorides striata</i> | Hérons, Bitterns | 5,366 | 15,153 | 35% | |
| Western Cattle Egret | <i>Bubulcus ibis</i> | Hérons, Bitterns | 4,644 | 99,143 | 5% | |
| White-backed night heron | <i>Gorsachius leuconotus</i> | Hérons, Bitterns | 100 | 234 | 43% | |
| Brown-backed Honeybird | <i>Prodotiscus regulus</i> | Honeyguides | 278 | 4,354 | 6% | |
| Greater Honeyguide | <i>Indicator indicator</i> | Honeyguides | 1,590 | 9,925 | 16% | |
| Lesser Honeyguide | <i>Indicator minor</i> | Honeyguides | 1,146 | 16,104 | 7% | |
| Scaly-throated Honeyguide | <i>Indicator variegatus</i> | Honeyguides | 281 | 3,646 | 8% | |
| Eurasian Hoopoe | <i>Upupa epops</i> | Hoopoes | 7,483 | 72,196 | 10% | |
| African grey hornbill | <i>Lophoceros nasutus</i> | Hornbills | 12,991 | 35,607 | 36% | |
| Crowned hornbill | <i>Lophoceros alboterminatus</i> | Hornbills | 1,197 | 8,931 | 13% | |
| Damara Red-billed Hornbill | <i>Tockus damarensis</i> | Hornbills | 13 | 27 | 48% | |
| Northern Red-billed Hornbill | <i>Tockus erythrorhynchus</i> | Hornbills | 12,974 | 22,547 | 58% | |
| Southern red-billed hornbill | <i>Tockus rufirostris</i> | Hornbills | 15 | 50 | 30% | |
| Southern Yellow-billed Hornbill | <i>Tockus leucomelas</i> | Hornbills | 18,102 | 34,919 | 52% | |
| Trumpeter Hornbill | <i>Bycanistes bucinator</i> | Hornbills | 1,631 | 10,490 | 16% | |
| Southern Hylia | <i>Hylia australis</i> | Hylia | 5 | 5 | 100% | |
| African Sacred Ibis | <i>Threskiornis aethiopicus</i> | Ibises, Spoonbills | 820 | 83,986 | 1% | |
| African Spoonbill | <i>Platalea alba</i> | Ibises, Spoonbills | 2,716 | 30,652 | 9% | |
| Glossy Ibis | <i>Plegadis falcinellus</i> | Ibises, Spoonbills | 421 | 22,482 | 2% | |
| Hadada Ibis | <i>Bostrychia hagedash</i> | Ibises, Spoonbills | 10,154 | 180,410 | 6% | |
| Southern Bald Ibis | <i>Geronticus calvus</i> | Ibises, Spoonbills | 57 | 7,366 | 1% | |
| Cuckoo-finch | <i>Anomalospiza imberbis</i> | Indigobirds, Whydahs | 55 | 656 | 8% | |
| Dusky Indigobird | <i>Vidua funerea</i> | Indigobirds, Whydahs | 1,017 | 4,914 | 21% | |
| Long-tailed Paradise Whydah | <i>Vidua paradisaea</i> | Indigobirds, Whydahs | 2,444 | 8,190 | 30% | |
| Pin-tailed Whydah | <i>Vidua macroura</i> | Indigobirds, Whydahs | 3,091 | 60,244 | 5% | |
| Purple Indigobird | <i>Vidua purpurascens</i> | Indigobirds, Whydahs | 548 | 1,721 | 32% | |
| Shaft-tailed Whydah | <i>Vidua regia</i> | Indigobirds, Whydahs | 133 | 4,331 | 3% | |
| Village Indigobird | <i>Vidua chalybeata</i> | Indigobirds, Whydahs | 1,769 | 5,580 | 32% | |
| African Jacana | <i>Actophilornis africanus</i> | Jacanas | 4,964 | 19,281 | 26% | |
| Lesser Jacana | <i>Microparra capensis</i> | Jacanas | 26 | 212 | 12% | |
| African pygmy kingfisher | <i>Ispidina picta</i> | Kingfishers | 519 | 2,614 | 20% | |
| Brown-hooded Kingfisher | <i>Halcyon albiventris</i> | Kingfishers | 11,723 | 65,245 | 18% | |
| Giant Kingfisher | <i>Megaceryle maxima</i> | Kingfishers | 3,358 | 23,137 | 15% | |
| Grey-headed Kingfisher | <i>Halcyon leucocephala</i> | Kingfishers | 419 | 760 | 55% | |
| Half-collared Kingfisher | <i>Alcedo semitorquata</i> | Kingfishers | 179 | 3,142 | 6% | |
| Malachite kingfisher | <i>Corythornis cristatus</i> | Kingfishers | 2,401 | 23,834 | 10% | |
| Pied Kingfisher | <i>Ceryle rudis</i> | Kingfishers | 7,511 | 44,546 | 17% | |
| Striped Kingfisher | <i>Halcyon chelicuti</i> | Kingfishers | 2,285 | 6,472 | 35% | |
| Woodland Kingfisher | <i>Halcyon senegalensis</i> | Kingfishers | 8,860 | 18,201 | 49% | |
| African Cuckoo-Hawk | <i>Aviceda cuculoides</i> | Kites, Hawks, Eagles | 126 | 826 | 15% | |
| African Fish Eagle | <i>Haliaeetus vocifer</i> | Kites, Hawks, Eagles | 11,310 | 49,640 | 23% | |
| African Goshawk | <i>Accipiter tachiro</i> | Kites, Hawks, Eagles | 1,805 | 11,016 | 16% | |
| African Harrier-Hawk | <i>Polyboroides typus</i> | Kites, Hawks, Eagles | 2,180 | 15,054 | 14% | |
| African Hawk-Eagle | <i>Aquila spilogaster</i> | Kites, Hawks, Eagles | 2,870 | 4,404 | 65% | |
| African Marsh Harrier | <i>Circus ranivorus</i> | Kites, Hawks, Eagles | 6 | 8,844 | 0% | |
| Bat Hawk | <i>Macheiramphus alcinus</i> | Kites, Hawks, Eagles | 136 | 235 | 58% | |
| Bateleur | <i>Terathopus ecaudatus</i> | Kites, Hawks, Eagles | 13,748 | 15,861 | 87% | |
| Black Kite | <i>Milvus migrans</i> | Kites, Hawks, Eagles | 89 | 541 | 16% | |
| Black Sparrowhawk | <i>Accipiter melanoleucus</i> | Kites, Hawks, Eagles | 170 | 11,240 | 2% | |
| Black-chested Snake Eagle | <i>Circaetus pectoralis</i> | Kites, Hawks, Eagles | 1,114 | 8,218 | 14% | |
| Black-winged Kite | <i>Elanus caeruleus</i> | Kites, Hawks, Eagles | 2,727 | 72,384 | 4% | |
| Booted Eagle | <i>Hieraaetus pennatus</i> | Kites, Hawks, Eagles | 90 | 4,991 | 2% | |
| Brown Snake Eagle | <i>Circaetus cinereus</i> | Kites, Hawks, Eagles | 5,065 | 9,202 | 55% | |
| Cape Vulture | <i>Gyps coprotheres</i> | Kites, Hawks, Eagles | 1,053 | 8,355 | 13% | |
| Common buzzard | <i>Buteo buteo</i> | Kites, Hawks, Eagles | 1,513 | 35,225 | 4% | |
| Crowned Eagle | <i>Stephanoaetus coronatus</i> | Kites, Hawks, Eagles | 259 | 5,305 | 5% | |
| Dark Chanting Goshawk | <i>Melierax metabates</i> | Kites, Hawks, Eagles | 1,441 | 2,033 | 71% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|----------------------------------|---------------------------|---------------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Egyptian vulture | Neophron percnopterus | Kites, Hawks, Eagles | 4 | 4 | 100% | |
| European Honey Buzzard | Pernis apivorus | Kites, Hawks, Eagles | 45 | 1,027 | 4% | |
| Forest Buzzard | Buteo trizonatus | Kites, Hawks, Eagles | 6 | 4,232 | 0% | |
| Gabar Goshawk | Micronisus gabar | Kites, Hawks, Eagles | 1,501 | 7,535 | 20% | |
| Hooded Vulture | Necrosyrtes monachus | Kites, Hawks, Eagles | 3,130 | 3,315 | 94% | |
| Jackal Buzzard | Buteo rufofuscus | Kites, Hawks, Eagles | 38 | 41,884 | 0% | |
| Lappet-faced vulture | Torgos tracheliotos | Kites, Hawks, Eagles | 2,543 | 3,642 | 70% | |
| Lesser spotted eagle | Clanga pomarina | Kites, Hawks, Eagles | 1,089 | 1,460 | 75% | |
| Little Sparrowhawk | Accipiter minullus | Kites, Hawks, Eagles | 1,382 | 5,769 | 24% | |
| Lizard Buzzard | Kaupifalco monogrammicus | Kites, Hawks, Eagles | 1,128 | 2,793 | 40% | |
| Long-crested Eagle | Lophaetus occipitalis | Kites, Hawks, Eagles | 540 | 14,025 | 4% | |
| Martial Eagle | Polemaetus bellicosus | Kites, Hawks, Eagles | 3,417 | 7,013 | 49% | |
| Montagu's Harrier | Circus pygargus | Kites, Hawks, Eagles | 72 | 513 | 14% | |
| Ovambo Sparrowhawk | Accipiter ovampensis | Kites, Hawks, Eagles | 80 | 3,434 | 2% | |
| Pallid Harrier | Circus macrourus | Kites, Hawks, Eagles | 105 | 391 | 27% | |
| Palm-nut Vulture | Gypohierax angolensis | Kites, Hawks, Eagles | 6 | 833 | 1% | |
| Shikra | Accipiter badius | Kites, Hawks, Eagles | 771 | 1,831 | 42% | |
| Steppe Eagle | Aquila nipalensis | Kites, Hawks, Eagles | 426 | 478 | 89% | |
| Tawny Eagle | Aquila rapax | Kites, Hawks, Eagles | 5,393 | 7,219 | 75% | |
| Verreaux's Eagle | Aquila verreauxii | Kites, Hawks, Eagles | 215 | 9,188 | 2% | |
| Wahlberg's Eagle | Hieraaetus wahlbergi | Kites, Hawks, Eagles | 5,577 | 9,952 | 56% | |
| White-backed Vulture | Gyps africanus | Kites, Hawks, Eagles | 11,998 | 17,806 | 67% | |
| White-headed Vulture | Trigonoceps occipitalis | Kites, Hawks, Eagles | 1,746 | 1,890 | 92% | |
| Chestnut-backed Sparrow-Lark | Eremopterix leucotis | Larks | 1,323 | 3,888 | 34% | |
| Dusky Lark | Pinarocorys nigricans | Larks | 684 | 887 | 77% | |
| Fawn-colored Lark | Calendulauda africanoides | Larks | 30 | 6,082 | 0% | |
| Flappet Lark | Mirafra rufocinnamomea | Larks | 624 | 1,534 | 41% | |
| Grey-backed Sparrow-Lark | Eremopterix verticalis | Larks | 31 | 5,680 | 1% | |
| Monotonous Lark | Mirafra passerina | Larks | 984 | 2,087 | 47% | |
| Red-capped Lark | Calandrella cinerea | Larks | 181 | 25,535 | 1% | |
| Rufous-naped Lark | Mirafra africana | Larks | 2,410 | 44,681 | 5% | |
| Sabota Lark | Calendulauda sabota | Larks | 6,180 | 22,578 | 27% | |
| Arrow-marked Babbler | Turdoides jardineii | Laughingthrushes & Allies | 15,396 | 40,385 | 38% | |
| Willow Warbler | Phylloscopus trochilus | Leaf Warblers & Allies | 2,626 | 20,145 | 13% | |
| Yellow-throated Woodland Warbler | Phylloscopus ruficapilla | Leaf Warblers & Allies | 8 | 3,530 | 0% | |
| African Paradise Flycatcher | Terpsiphone viridis | Monarchs | 6,060 | 42,805 | 14% | |
| Blue-mantled Crested Flycatcher | Trochocercus cyanomelas | Monarchs | 38 | 4,968 | 1% | |
| Red-faced Mousebird | Urocolius indicus | Mousebirds | 7,218 | 84,343 | 9% | |
| Speckled Mousebird | Colius striatus | Mousebirds | 6,020 | 103,579 | 6% | |
| Blackpoll Warbler | Setophaga striata | New World Warblers | 4,342 | 22,165 | 20% | |
| Eastern Nicator | Nicator gularis | Nicators | 796 | 3,453 | 23% | |
| European Nightjar | Caprimulgus europaeus | Nightjars | 369 | 672 | 55% | |
| Fiery-necked Nightjar | Caprimulgus pectoralis | Nightjars | 2,952 | 13,534 | 22% | |
| Freckled Nightjar | Caprimulgus tristigma | Nightjars | 710 | 2,774 | 26% | |
| Pennant-winged nightjar | Caprimulgus vexillarius | Nightjars | 124 | 128 | 97% | |
| Rufous-cheeked Nightjar | Caprimulgus rufigena | Nightjars | 96 | 2,454 | 4% | |
| Square-tailed Nightjar | Caprimulgus fossii | Nightjars | 1,545 | 1,982 | 78% | |
| Rose-ringed Parakeet | Psittacula krameri | Old World Parrots | 4 | 8,009 | 0% | |
| Cape Sparrow | Passer melanurus | Old World Sparrows, Snowfinches | 182 | 124,026 | 0% | |
| House Sparrow | Passer domesticus | Old World Sparrows, Snowfinches | 4,673 | 93,663 | 5% | |
| Northern Grey-headed Sparrow | Passer griseus | Old World Sparrows, Snowfinches | 3 | 5 | 60% | |
| Southern Grey-headed Sparrow | Passer diffusus | Old World Sparrows, Snowfinches | 13,463 | 100,058 | 13% | |
| Yellow-throated Bush Sparrow | Gymnoris supercilialis | Old World Sparrows, Snowfinches | 3,418 | 11,247 | 30% | |
| Western Osprey | Pandion haliaetus | Ospreys | 221 | 3,543 | 6% | |
| Common Ostrich | Struthio camelus | Ostriches | 1,539 | 28,420 | 5% | |
| African Barred Owllet | Glaucidium capense | Owls | 922 | 1,184 | 78% | |
| African Scops Owl | Otus senegalensis | Owls | 2,950 | 4,181 | 71% | |
| African Wood Owl | Strix woodfordii | Owls | 492 | 2,350 | 21% | |
| Cape Eagle-Owl | Bubo capensis | Owls | 38 | 4,885 | 1% | |
| Pearl-spotted Owllet | Glaucidium perlatum | Owls | 5,014 | 11,871 | 42% | |
| Pel's Fishing Owl | Scotopelia peli | Owls | 127 | 232 | 55% | |
| Southern White-faced Owl | Ptilopsis granti | Owls | 582 | 1,577 | 37% | |
| Spotted Eagle-Owl | Bubo africanus | Owls | 873 | 16,225 | 5% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|---------------------------|-----------------------------|------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Verreaux's Eagle-Owl | Bubo lacteus | Owls | 2,120 | 2,927 | 72% | |
| Red-billed oxpecker | Buphagus erythrorhynchus | Oxpeckers | 13,974 | 24,977 | 56% | |
| Yellow-billed Oxpecker | Buphagus africanus | Oxpeckers | 2,956 | 2,981 | 99% | |
| Greater Painted-snipe | Rostratula benghalensis | Painted-snipes | 472 | 1,255 | 38% | |
| Great White Pelican | Pelecanus onocrotalus | Pelicans | 42 | 6,436 | 1% | |
| Pink-backed Pelican | Pelecanus rufescens | Pelicans | 21 | 1,931 | 1% | |
| Grey Penduline Tit | Anthoscopus caroli | Penduline Tits | 1,103 | 1,915 | 58% | |
| Common Quail | Coturnix coturnix | Pheasants & Allies | 143 | 7,944 | 2% | |
| Coqui francolin | Peliperdix coqui | Pheasants & Allies | 683 | 4,775 | 14% | |
| Crested Francolin | Dendroperdix sephaena | Pheasants & Allies | 12,137 | 29,842 | 41% | |
| Harlequin Quail | Coturnix delegorguei | Pheasants & Allies | 582 | 1,044 | 56% | |
| Indian Peafowl | Pavo cristatus | Pheasants & Allies | 10 | 3,035 | 0% | |
| Natal spurfowl | Pternistis natalensis | Pheasants & Allies | 16,068 | 42,622 | 38% | |
| Red-necked spurfowl | Pternistis afer | Pheasants & Allies | 5 | 9,296 | 0% | |
| Red-winged francolin | Scleroptila levaillantii | Pheasants & Allies | 1 | 2,948 | 0% | |
| Shelley's francolin | Scleroptila shelleyi | Pheasants & Allies | 287 | 1,701 | 17% | |
| Swainson's spurfowl | Pternistis swainsonii | Pheasants & Allies | 10,362 | 57,292 | 18% | |
| African Green Pigeon | Treron calvus | Pigeons, Doves | 7,025 | 16,425 | 43% | |
| African Olive Pigeon | Columba arquatrix | Pigeons, Doves | 54 | 20,713 | 0% | |
| Blue-spotted Wood Dove | Turtur afer | Pigeons, Doves | 9 | 74 | 12% | |
| Emerald-spotted Wood Dove | Turtur chalcospilos | Pigeons, Doves | 16,173 | 36,723 | 44% | |
| Laughing dove | Spilopelia senegalensis | Pigeons, Doves | 18,164 | 169,343 | 11% | |
| Lemon dove | Columba larvata | Pigeons, Doves | 27 | 2,801 | 1% | |
| Mourning Collared Dove | Streptopelia decipiens | Pigeons, Doves | 2,927 | 3,324 | 88% | |
| Namaqua Dove | Oena capensis | Pigeons, Doves | 3,604 | 35,338 | 10% | |
| Red-eyed Dove | Streptopelia semitorquata | Pigeons, Doves | 8,145 | 160,690 | 5% | |
| Ring-necked Dove | Streptopelia capicola | Pigeons, Doves | 20,339 | 184,031 | 11% | |
| Rock Dove | Columba livia | Pigeons, Doves | 607 | 51,406 | 1% | |
| Speckled Pigeon | Columba guinea | Pigeons, Doves | 241 | 119,297 | 0% | |
| Tambourine Dove | Turtur tympanistria | Pigeons, Doves | 1,149 | 15,553 | 7% | |
| African Wattled Lapwing | Vanellus senegallus | Plovers | 1,726 | 35,497 | 5% | |
| Blacksmith Lapwing | Vanellus armatus | Plovers | 13,943 | 144,198 | 10% | |
| Black-winged Lapwing | Vanellus melanopterus | Plovers | 2 | 3,897 | 0% | |
| Caspian Plover | Charadrius asiaticus | Plovers | 15 | 170 | 9% | |
| Chestnut-banded Plover | Charadrius pallidus | Plovers | 3 | 1,216 | 0% | |
| Common Ringed Plover | Charadrius hiaticula | Plovers | 47 | 7,736 | 1% | |
| Crowned Lapwing | Vanellus coronatus | Plovers | 6,321 | 96,833 | 7% | |
| Kittlitz's Plover | Charadrius pecuarius | Plovers | 656 | 15,372 | 4% | |
| Senegal Lapwing | Vanellus lugubris | Plovers | 1,027 | 1,440 | 71% | |
| Three-banded Plover | Charadrius tricollaris | Plovers | 9,425 | 61,242 | 15% | |
| White-crowned Lapwing | Vanellus albiceps | Plovers | 2,219 | 2,344 | 95% | |
| White-fronted Plover | Charadrius marginatus | Plovers | 635 | 11,498 | 6% | |
| African Crane | Crex egregia | Rails, Crakes & Coots | 44 | 532 | 8% | |
| African Rail | Rallus caerulescens | Rails, Crakes & Coots | 18 | 5,371 | 0% | |
| Allen's Gallinule | Porphyrio alleni | Rails, Crakes & Coots | 28 | 231 | 12% | |
| Black crane | Amaurornis flavirostra | Rails, Crakes & Coots | 4,877 | 27,091 | 18% | |
| Common Moorhen | Gallinula chloropus | Rails, Crakes & Coots | 533 | 63,522 | 1% | |
| Corn Crane | Crex crex | Rails, Crakes & Coots | 12 | 117 | 10% | |
| Lesser Moorhen | Paragallinula angulata | Rails, Crakes & Coots | 79 | 620 | 13% | |
| Red-knobbed Coot | Fulica cristata | Rails, Crakes & Coots | 65 | 78,198 | 0% | |
| Striped crane | Aenigmatolimnas marginalis | Rails, Crakes & Coots | 6 | 11 | 55% | |
| Western Swamphen | Porphyrio porphyrio | Rails, Crakes & Coots | 49 | 14,274 | 0% | |
| African reed warbler | Acrocephalus baeticatus | Reed Warblers & Allies | 414 | 16,211 | 3% | |
| African Yellow Warbler | Iduna natalensis | Reed Warblers & Allies | 374 | 5,376 | 7% | |
| Great Reed Warbler | Acrocephalus arundinaceus | Reed Warblers & Allies | 162 | 2,897 | 6% | |
| Icterine Warbler | Hippolais icterina | Reed Warblers & Allies | 291 | 1,198 | 24% | |
| Lesser Swamp Warbler | Acrocephalus gracilirostris | Reed Warblers & Allies | 706 | 42,585 | 2% | |
| Marsh Warbler | Acrocephalus palustris | Reed Warblers & Allies | 531 | 4,159 | 13% | |
| Olive-tree Warbler | Hippolais olivetorum | Reed Warblers & Allies | 245 | 681 | 36% | |
| Sedge Warbler | Acrocephalus schoenobaenus | Reed Warblers & Allies | 23 | 1,063 | 2% | |
| Broad-billed Roller | Eurystomus glaucurus | Rollers | 1,399 | 2,320 | 60% | |
| European Roller | Coracias garrulus | Rollers | 6,526 | 10,380 | 63% | |
| Lilac-breasted Roller | Coracias caudatus | Rollers | 16,355 | 30,349 | 54% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|----------------------------------|-------------------------------|----------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Purple Roller | Coracias naevius | Rollers | 3,872 | 6,780 | 57% | |
| Racket-tailed Roller | Coracias spatulatus | Rollers | 166 | 167 | 99% | |
| Double-banded Sandgrouse | Pterocles bicinctus | Sandgrouse | 2,995 | 4,438 | 67% | |
| African Snipe | Gallinago nigripennis | Sandpipers, Snipes | 17 | 10,601 | 0% | |
| Bar-tailed Godwit | Limosa lapponica | Sandpipers, Snipes | 1 | 1,353 | 0% | |
| Common Greenshank | Tringa nebularia | Sandpipers, Snipes | 2,748 | 18,718 | 15% | |
| Common Sandpiper | Actitis hypoleucos | Sandpipers, Snipes | 2,723 | 13,200 | 21% | |
| Curlew Sandpiper | Calidris ferruginea | Sandpipers, Snipes | 138 | 6,422 | 2% | |
| Green Sandpiper | Tringa ochropus | Sandpipers, Snipes | 33 | 132 | 25% | |
| Little Stint | Calidris minuta | Sandpipers, Snipes | 398 | 12,336 | 3% | |
| Marsh Sandpiper | Tringa stagnatilis | Sandpipers, Snipes | 525 | 5,715 | 9% | |
| Pectoral Sandpiper | Calidris melanotos | Sandpipers, Snipes | 5 | 111 | 5% | |
| Red Phalarope | Phalaropus fulicarius | Sandpipers, Snipes | 1 | 78 | 1% | |
| Ruff | Calidris pugnax | Sandpipers, Snipes | 627 | 12,317 | 5% | |
| Wood Sandpiper | Tringa glareola | Sandpipers, Snipes | 4,358 | 18,703 | 23% | |
| Secretarybird | Sagittarius serpentarius | Secretarybird | 518 | 9,389 | 6% | |
| Lesser Grey Shrike | Lanius minor | Shrikes | 1,789 | 10,321 | 17% | |
| Magpie Shrike | Urolestes melanoleucus | Shrikes | 12,527 | 26,317 | 48% | |
| Red-backed Shrike | Lanius collurio | Shrikes | 6,863 | 25,470 | 27% | |
| Southern Fiscal | Lanius collaris | Shrikes | 1,508 | 164,270 | 1% | |
| Southern White-crowned Shrike | Eurocephalus anguitimens | Shrikes | 3,349 | 6,685 | 50% | |
| Black-bellied starling | Notopholia corusca | Starlings, Rhabdornis | 56 | 14,411 | 0% | |
| Burchell's Starling | Lamprotornis australis | Starlings, Rhabdornis | 9,487 | 16,354 | 58% | |
| Cape Starling | Lamprotornis nitens | Starlings, Rhabdornis | 13,839 | 108,164 | 13% | |
| Common Myna | Acridotheres tristis | Starlings, Rhabdornis | 2,033 | 84,794 | 2% | |
| Greater Blue-eared Starling | Lamprotornis chalybaeus | Starlings, Rhabdornis | 9,706 | 10,150 | 96% | |
| Meves's Starling | Lamprotornis mevesii | Starlings, Rhabdornis | 1,981 | 2,861 | 69% | |
| Miombo Blue-eared Starling | Lamprotornis elisabeth | Starlings, Rhabdornis | 3 | 3 | 100% | |
| Red-winged Starling | Onychognathus morio | Starlings, Rhabdornis | 2,770 | 73,484 | 4% | |
| Violet-backed Starling | Cinnyricinclus leucogaster | Starlings, Rhabdornis | 5,469 | 16,571 | 33% | |
| Wattled Starling | Creatophora cinerea | Starlings, Rhabdornis | 4,153 | 20,335 | 20% | |
| Black-winged Stilt | Himantopus himantopus | Stilts, Avocets | 2,611 | 33,787 | 8% | |
| Pied Avocet | Recurvirostra avosetta | Stilts, Avocets | 67 | 11,944 | 1% | |
| Spotted Thick-knee | Burhinus capensis | Stone-curlews, Thick-knees | 1,299 | 44,059 | 3% | |
| Water Thick-knee | Burhinus vermiculatus | Stone-curlews, Thick-knees | 8,286 | 18,998 | 44% | |
| Abdim's Stork | Ciconia abdimii | Storks | 135 | 1,864 | 7% | |
| African Openbill | Anastomus lamelligerus | Storks | 2,155 | 3,141 | 69% | |
| Black Stork | Ciconia nigra | Storks | 1,091 | 2,661 | 41% | |
| Marabou stork | Leptoptilos crumenifer | Storks | 3,735 | 5,323 | 70% | |
| Saddle-billed Stork | Ephippiorhynchus senegalensis | Storks | 4,552 | 5,083 | 90% | |
| White Stork | Ciconia ciconia | Storks | 664 | 11,067 | 6% | |
| Woolly-necked Stork | Ciconia episcopus | Storks | 2,389 | 10,136 | 24% | |
| Yellow-billed Stork | Mycteria ibis | Storks | 3,298 | 7,847 | 42% | |
| Amethyst Sunbird | Chalcomitra amethystina | Sunbirds | 2,210 | 59,694 | 4% | |
| Collared Sunbird | Hedydipna collaris | Sunbirds | 4,130 | 18,466 | 22% | |
| Greater Double-collared Sunbird | Cinnyris afer | Sunbirds | 382 | 26,898 | 1% | |
| Malachite Sunbird | Nectarinia famosa | Sunbirds | 5 | 31,175 | 0% | |
| Marico Sunbird | Cinnyris mariquensis | Sunbirds | 4,736 | 12,881 | 37% | |
| Olive Sunbird | Cyanomitra olivacea | Sunbirds | 230 | 11,067 | 2% | |
| Purple-banded Sunbird | Cinnyris bifasciatus | Sunbirds | 245 | 3,348 | 7% | |
| Scarlet-chested Sunbird | Chalcomitra senegalensis | Sunbirds | 4,046 | 10,497 | 39% | |
| Southern Double-collared Sunbird | Cinnyris chalybeus | Sunbirds | 163 | 38,420 | 0% | |
| White-bellied Sunbird | Cinnyris talatala | Sunbirds | 11,187 | 63,230 | 18% | |
| Banded martin | Riparia cincta | Swallows, Martins | 9 | 11,148 | 0% | |
| Barn Swallow | Hirundo rustica | Swallows, Martins | 10,169 | 97,039 | 10% | |
| Brown-throated Martin | Riparia paludicola | Swallows, Martins | 1,443 | 49,827 | 3% | |
| Common House Martin | Delichon urbicum | Swallows, Martins | 1,200 | 7,004 | 17% | |
| Greater Striped Swallow | Cecropis cucullata | Swallows, Martins | 455 | 83,425 | 1% | |
| Grey-rumped Swallow | Pseudhirundo griseopyga | Swallows, Martins | 1,489 | 2,279 | 65% | |
| Lesser Striped Swallow | Cecropis abyssinica | Swallows, Martins | 9,187 | 49,419 | 19% | |
| Mosque Swallow | Cecropis senegalensis | Swallows, Martins | 1,825 | 1,852 | 99% | |
| Pearl-breasted Swallow | Hirundo dimidiata | Swallows, Martins | 229 | 12,349 | 2% | |
| Red-breasted Swallow | Cecropis semirufa | Swallows, Martins | 3,134 | 14,514 | 22% | |



| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|-----------------------------|---------------------------------|---------------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Rock Martin | <i>Ptyonoprogne fuligula</i> | Swallows, Martins | 866 | 57,018 | 2% | |
| Sand Martin | <i>Riparia riparia</i> | Swallows, Martins | 44 | 1,124 | 4% | |
| South African Cliff Swallow | <i>Petrochelidon spilodera</i> | Swallows, Martins | 1 | 13,659 | 0% | |
| White-throated Swallow | <i>Hirundo albigularis</i> | Swallows, Martins | 596 | 59,482 | 1% | |
| Wire-tailed Swallow | <i>Hirundo smithii</i> | Swallows, Martins | 7,051 | 11,977 | 59% | |
| African Black Swift | <i>Apus barbatus</i> | Swifts | 903 | 15,088 | 6% | |
| African Palm Swift | <i>Cypsiurus parvus</i> | Swifts | 7,805 | 62,096 | 13% | |
| Alpine swift | <i>Tachymarptis melba</i> | Swifts | 855 | 14,861 | 6% | |
| Böhm's Spinetail | <i>Neafrapus boehmi</i> | Swifts | 269 | 273 | 99% | |
| Common Swift | <i>Apus apus</i> | Swifts | 326 | 3,650 | 9% | |
| Horus Swift | <i>Apus horus</i> | Swifts | 525 | 4,634 | 11% | |
| Little Swift | <i>Apus affinis</i> | Swifts | 9,929 | 69,149 | 14% | |
| Mottled Spinetail | <i>Telacanthura ussheri</i> | Swifts | 120 | 141 | 85% | |
| White-rumped Swift | <i>Apus caffer</i> | Swifts | 3,712 | 63,659 | 6% | |
| Common Whitethroat | <i>Sylvia communis</i> | Sylviid Babblers | 15 | 719 | 2% | |
| Garden Warbler | <i>Sylvia borin</i> | Sylviid Babblers | 67 | 1,436 | 5% | |
| Groundscraper Thrush | <i>Turdus litsitsirupa</i> | Thrushes | 2,531 | 19,145 | 13% | |
| Karoo Thrush | <i>Turdus smithi</i> | Thrushes | 15 | 48,458 | 0% | |
| Kurriehane Thrush | <i>Turdus libonyana</i> | Thrushes | 7,366 | 30,814 | 24% | |
| Olive Thrush | <i>Turdus olivaceus</i> | Thrushes | 56 | 26,358 | 0% | |
| Southern black tit | <i>Melaniparus niger</i> | Tits, Chickadees | 10,614 | 32,986 | 32% | |
| Narina Trogon | <i>Apaloderma narina</i> | Trogons | 91 | 4,104 | 2% | |
| Grey Go-away-bird | <i>Corythaixoides concolor</i> | Turacos | 16,946 | 67,973 | 25% | |
| Knysna Turaco | <i>Tauraco corythaix</i> | Turacos | 33 | 13,421 | 0% | |
| Retz's Helmetshrike | <i>Prionops retzii</i> | Vangas & Allies | 2,309 | 3,183 | 73% | |
| White-crested Helmetshrike | <i>Prionops plumatus</i> | Vangas & Allies | 5,302 | 9,926 | 53% | |
| African Pied Wagtail | <i>Motacilla aguimp</i> | Wagtails, Pipits | 8,508 | 23,292 | 37% | |
| African Pipit | <i>Anthus cinnamomeus</i> | Wagtails, Pipits | 3,394 | 74,612 | 5% | |
| Buffy Pipit | <i>Anthus vaalensis</i> | Wagtails, Pipits | 301 | 3,417 | 9% | |
| Bushveld Pipit | <i>Anthus caffer</i> | Wagtails, Pipits | 500 | 1,630 | 31% | |
| Cape Wagtail | <i>Motacilla capensis</i> | Wagtails, Pipits | 962 | 187,293 | 1% | |
| Long-billed Pipit | <i>Anthus similis</i> | Wagtails, Pipits | 9 | 7,627 | 0% | |
| Mountain Wagtail | <i>Motacilla clara</i> | Wagtails, Pipits | 246 | 2,603 | 9% | |
| Plain-backed Pipit | <i>Anthus leucophrys</i> | Wagtails, Pipits | 84 | 7,989 | 1% | |
| Striped Pipit | <i>Anthus lineiventris</i> | Wagtails, Pipits | 220 | 2,601 | 8% | |
| Tree Pipit | <i>Anthus trivialis</i> | Wagtails, Pipits | 1 | 80 | 1% | |
| Western Yellow Wagtail | <i>Motacilla flava</i> | Wagtails, Pipits | 9 | 788 | 1% | |
| Yellow-throated Longclaw | <i>Macronyx croceus</i> | Wagtails, Pipits | 1,806 | 11,621 | 16% | |
| Black-throated Wattle-eye | <i>Platysteira peltata</i> | Wattle-eyes, Batises | 291 | 1,310 | 22% | |
| Cape Batis | <i>Batis capensis</i> | Wattle-eyes, Batises | 184 | 21,889 | 1% | |
| Chinspot Batis | <i>Batis molitor</i> | Wattle-eyes, Batises | 14,497 | 48,444 | 30% | |
| African Firefinch | <i>Lagonosticta rubricata</i> | Waxbills, Munias & Allies | 2,253 | 18,422 | 12% | |
| Black-and-white Mannikin | <i>Lonchura bicolor</i> | Waxbills, Munias & Allies | 264 | 4,000 | 7% | |
| Black-faced Waxbill | <i>Estrilda erythronotos</i> | Waxbills, Munias & Allies | 4 | 5,656 | 0% | |
| Blue Waxbill | <i>Uraeginthus angolensis</i> | Waxbills, Munias & Allies | 16,031 | 51,652 | 31% | |
| Bronze mannikin | <i>Lonchura cucullata</i> | Waxbills, Munias & Allies | 3,355 | 36,644 | 9% | |
| Brown Firefinch | <i>Lagonosticta nitidula</i> | Waxbills, Munias & Allies | 160 | 1,712 | 9% | |
| Common Waxbill | <i>Estrilda astrild</i> | Waxbills, Munias & Allies | 3,615 | 69,548 | 5% | |
| Cut-throat Finch | <i>Amadina fasciata</i> | Waxbills, Munias & Allies | 1,654 | 6,099 | 27% | |
| Green-winged Pytilia | <i>Pytilia melba</i> | Waxbills, Munias & Allies | 4,263 | 15,321 | 28% | |
| Grey Waxbill | <i>Estrilda perreini</i> | Waxbills, Munias & Allies | 1 | 900 | 0% | |
| Jameson's Firefinch | <i>Lagonosticta rhodopareia</i> | Waxbills, Munias & Allies | 2,749 | 11,242 | 24% | |
| Magpie Mannikin | <i>Lonchura fringilloides</i> | Waxbills, Munias & Allies | 39 | 312 | 13% | |
| Orange-breasted Waxbill | <i>Amandava subflava</i> | Waxbills, Munias & Allies | 198 | 5,041 | 4% | |
| Orange-winged Pytilia | <i>Pytilia afra</i> | Waxbills, Munias & Allies | 73 | 78 | 94% | |
| Pink-throated Twinspot | <i>Hypargos margaritatus</i> | Waxbills, Munias & Allies | 28 | 1,134 | 2% | |
| Quailfinch | <i>Ortygospiza atricollis</i> | Waxbills, Munias & Allies | 268 | 20,130 | 1% | |
| Red-billed Firefinch | <i>Lagonosticta senegala</i> | Waxbills, Munias & Allies | 4,414 | 14,712 | 30% | |
| Red-headed Finch | <i>Amadina erythrocephala</i> | Waxbills, Munias & Allies | 111 | 20,791 | 1% | |
| Swee Waxbill | <i>Coccyzygia melanotis</i> | Waxbills, Munias & Allies | 47 | 8,303 | 1% | |
| Violet-eared Waxbill | <i>Uraeginthus granatinus</i> | Waxbills, Munias & Allies | 199 | 7,660 | 3% | |
| Cape Weaver | <i>Ploceus capensis</i> | Weavers, Widowbirds | 348 | 80,478 | 0% | |
| Dark-backed Weaver | <i>Ploceus bicolor</i> | Weavers, Widowbirds | 1 | 8,375 | 0% | |

| IOC Common Name | IOC Scientific Name | IOC Group | Count of Kruger | Count of South | KNP % | Checklist |
|--------------------------------|-----------------------------------|---------------------|---|--|-------|-----------|
| | | | National Park SABAP2 Observations | Africa, Lesotho, Swaziland SABAP2 Observations | | |
| Eastern Golden Weaver | <i>Ploceus subaureus</i> | Weavers, Widowbirds | 17 | 7,998 | 0% | |
| Fan-tailed Widowbird | <i>Euplectes axillaris</i> | Weavers, Widowbirds | 939 | 21,382 | 4% | |
| Holub's Golden Weaver | <i>Ploceus xanthops</i> | Weavers, Widowbirds | 1,210 | 3,429 | 35% | |
| Lesser Masked Weaver | <i>Ploceus intermedius</i> | Weavers, Widowbirds | 3,717 | 8,311 | 45% | |
| Long-tailed Widowbird | <i>Euplectes progne</i> | Weavers, Widowbirds | 2 | 39,401 | 0% | |
| Red-billed Buffalo Weaver | <i>Bubalornis niger</i> | Weavers, Widowbirds | 7,669 | 11,548 | 66% | |
| Red-billed Quelea | <i>Quelea quelea</i> | Weavers, Widowbirds | 8,667 | 55,478 | 16% | |
| Red-collared Widowbird | <i>Euplectes ardens</i> | Weavers, Widowbirds | 1,289 | 25,692 | 5% | |
| Scaly-feathered Weaver | <i>Sporopipes squamifrons</i> | Weavers, Widowbirds | 9 | 20,624 | 0% | |
| Southern Brown-throated Weaver | <i>Ploceus xanthopterus</i> | Weavers, Widowbirds | 47 | 846 | 6% | |
| Southern Masked Weaver | <i>Ploceus velatus</i> | Weavers, Widowbirds | 4,691 | 130,744 | 4% | |
| Southern Red Bishop | <i>Euplectes orix</i> | Weavers, Widowbirds | 2,200 | 102,819 | 2% | |
| Spectacled Weaver | <i>Ploceus ocularis</i> | Weavers, Widowbirds | 6,058 | 33,446 | 18% | |
| Thick-billed Weaver | <i>Amblyospiza albifrons</i> | Weavers, Widowbirds | 1,888 | 34,971 | 5% | |
| Village Weaver | <i>Ploceus cucullatus</i> | Weavers, Widowbirds | 3,187 | 36,121 | 9% | |
| White-browed Sparrow-Weaver | <i>Plocepasser mahali</i> | Weavers, Widowbirds | 133 | 39,714 | 0% | |
| White-winged Widowbird | <i>Euplectes albonotatus</i> | Weavers, Widowbirds | 2,870 | 24,118 | 12% | |
| Yellow-crowned Bishop | <i>Euplectes afer</i> | Weavers, Widowbirds | 49 | 16,210 | 0% | |
| Northern Yellow White-eye | <i>Zosterops senegalensis</i> | White-eyes | 298 | 738 | 40% | |
| Common Scimitarbill | <i>Rhinopomastus cyanomelas</i> | Wood Hoopoes | 5,427 | 18,305 | 30% | |
| Green Wood Hoopoe | <i>Phoeniculus purpureus</i> | Wood Hoopoes | 9,599 | 52,423 | 18% | |
| Bearded Woodpecker | <i>Chloropicus namaquus</i> | Woodpeckers | 4,538 | 9,294 | 49% | |
| Bennett's Woodpecker | <i>Campethera bennettii</i> | Woodpeckers | 1,433 | 2,445 | 59% | |
| Cardinal Woodpecker | <i>Dendropicos fuscescens</i> | Woodpeckers | 6,191 | 33,522 | 18% | |
| Golden-tailed Woodpecker | <i>Campethera abingoni</i> | Woodpeckers | 6,875 | 29,211 | 24% | |
| Olive Woodpecker | <i>Dendropicos griseocephalus</i> | Woodpeckers | 187 | 9,387 | 2% | |
| Red-throated Wryneck | <i>Jynx ruficollis</i> | Woodpeckers | 368 | 18,597 | 2% | |